



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/601,377	06/23/2003	Phillip D. Mooneyham		7987

7590 09/02/2004  
Rick B. Yeager  
10805 Mellow Lane  
Austin, TX 78759

EXAMINER
----------

PRINCE, FRED G

ART UNIT	PAPER NUMBER
----------	--------------

1724

DATE MAILED: 09/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/601,377

Applicant(s)

MOONEYHAM, PHILLIP D.

Examiner

Fred Prince

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 23 June 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 24-41 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 24,35,40 and 41 is/are allowed.
- 6) ☒ Claim(s) 25-34 and 36-39 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 June 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

**DETAILED ACTION*****Drawings***

1. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.121(d)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
2. The drawings are objected to because the Figures have not been numbered consecutively. Numbers 2-5 have been omitted. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement

Art Unit: 1724

sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Note: Applicant is reminded that the specification should also be revised to include the new numbers in the brief description of the drawings, as well as in the detailed description of the invention.

It is noted that applicant has submitted informal drawings consisting of Figures 12 and 13, as the Figures do not have uniformly thick lines. The drawings are sufficient for examination purposes but formal drawings will be required if the application is allowed.

### ***Claim Objections***

3. Claims 26, 31, and 36 are objected to because of the following informalities: "filtering" should be changed to --filter-- to use terminology consistent with that of the independent claims. Appropriate correction is required.

### ***Claim Rejections - 35 USC § 112***

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 1724

5. Claims 31-34 and 36-39 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

6. Claims 31 and 36 recite the limitation "The filtering system" in line 1.

There is insufficient antecedent basis for this limitation in the claims.

7. Claims 32-34 and 37-39 recite the limitation "The system" in line 1. There is insufficient antecedent basis for this limitation in the claims.

### ***Double Patenting***

8. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

9. Claims 25-30 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-3 and 21 of U.S. Patent No. 6,582,613. Although the conflicting claims are not identical, they are not patentably distinct from each other because the subject matter of the

Art Unit: 1724

patent may be construed broadly enough to encompass the subject matter of the instant application claims.

Per claims 27-28 and 30, it is submitted that it would have been obvious for the skilled artisan to have provided a threaded housing to have access to the filter and a nipple to connect a hose, as is conventional in the art.

***Allowable Subject Matter***

10. Claims 24, 35, 40, and 41 are allowed.

11. Claims 31-34, and 36-39 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

12. The following is a statement of reasons for the indication of allowable subject matter:

Per claim 24, while it is known in the art to provide a filter media, a filter housing having first, second, third, and fourth ports, wherein a first flow path is located between the first and second ports and has an inlet to the filter housing so that flow may pass through the first flow path, and the housing further comprises a second flow path located between the third and fourth ports such that flow may pass through the media through an filter outlet opening and into the second flow path (see US Pat No 2,775,550 to Harlow), in the examiner's opinion, the prior art fails to teach or fairly suggest the first flow path being countercurrent to the second flow path.

Art Unit: 1724

While it is known in the art to provide a system and method of filtering engine coolant including a water pump, a heater core, a filter housing including filter media, the system having first and second ports and a flow path through which flow may pass through media to intercept particulate and out of the housing (see US Pat No. 6,193,895 to Dea et al.), in the examiner's opinion, the prior art fails to teach or fairly suggest a third port and fourth port, wherein a second flow path has flow which ultimately passes between the third and fourth ports to return the flow. The above configuration provides continuous removal of particulate in the coolant and, since the entire stream of coolant need not pass through the filter, facilitates continuous flow of coolant to the heater core in the event that the media become blocked with particulate.

### ***Conclusion***


13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. References are cited of interest to show the state of art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fred Prince whose telephone number is (571) 272-1165. The examiner can normally be reached on Monday-Thursday, 6:30-4:00; alt. Fridays 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Fred Prince  
Primary Examiner  
Art Unit 1724

fgp  
8/6/04